




ARBOS



PRODUCTS CATALOGUE

Tractors, Precision planters, Fertilisers, Sprayers

EN



PRODUCTS CATALOGUE
ARBOS

COMPANY PROFILE

High-tech, environmentally sensitive, uncompromising design: ARBOS, the new brand which is ambitiously taking on the world market, is proceeding apace to complete its full product line, adding a complete, efficient and cutting-edge range of agricultural equipment to its range of tractors. ARBOS industrial design guidelines are clearly identifiable:

- ITALIAN TRADITION
- CUTTING-EDGE DESIGN
- ENVIRONMENTALLY SENSITIVE
- A PASSION FOR DESIGN



ARBOS has inherited the values of a long-standing and glorious Italian brand, bringing its strengths up to date, taking advantage of significant economies of scale, focusing on excellence in design and bringing everything together with an original, award-winning style*. The prerequisites for success are all present and are actively pursued with commitment and conviction, aiming at reaching a level of quality which alone can guarantee long-lasting and all-encompassing success. This is what we call "Techno - Green" approach, the cornerstone of our corporate philosophy.

Now the road has finally been paved and the new, rapidly evolving full-line product range, entirely manufactured in our two production plants in San Vito al Tagliamento and Carpi, is making a powerful advance on the domestic and international markets.

All models stand out for their comfort, practicality, style, excellent performance, green credentials and ease of use: Italian design and manufacturing has never been so smart, mixing spot-on design, execution and respect for the surrounding environment.

All this with a keen eye towards reducing purchasing, running and maintenance costs.

We are a blend of expertise, tradition and modernity.

We are ready for the challenges that today and tomorrow may throw at us.

We are fast yet careful, innovative yet grounded.

We are ARBOS.


* Red Dot Winner 2017



Tractors



Orchard/Vineyard tractors



Sprayers



**Pneumatic seed drills
minimum till & no-till**




Vacuum precision planters



Seed drills wit power harrow



Fertilizer sprader



Subsoiler



4060 F 4080 F



4060 F PRO 4080 F PRO



The ARBOS 4060 F - 4080 F and ARBOS 4060 F - 4080 F PRO models are the perfect answer to the needs of professionals who work in vineyards and orchards: power and manoeuvrability, reliability and performance make these tractors the ideal partners for working in the often difficult conditions of specialist growing. The key strength of these models is their compact size.

- The shortest wheelbase in their category
- Exclusive, patented gearbox with dual power system
- Minimised turning radius
- Maximum stability and grip thanks to their perfectly balanced weight

- Compact wheelbase
- Exclusive, patented gearbox with dual power system
- Driving comfort: platform on “silent-blocks” and “overview” cab with A/C
- Excellent power-weight ratio and balance
- Approved for 40 km/h use

TECHNICAL DATA

ENGINE		
Cylinders / kW / hp		VM 3 Cyl - 35kW / 48HP / 4 Cyl 55kW 75 HP
Model		3 Cyl Tier IIIA / 4 Cyl Tier IIIB Turbo
Intake		Direct injection
TRANSMISSION		
Type		Dual Power 16+8, 8+8 transmission with lateral levers
Shuttle		Mechanical Reverse Shuttle
Differential lock		4WD and Mechanical DIFF-lock
LIFT AND HYDRAULIC SYSTEM		
Lifting capacity	kg	2300
Pump	l/min	38 open centre
Rear mechanical distributors		3
DRIVER AREA		
Version		Semi-platform
DIMENSIONS AND WEIGHTS		
Wheelbase	mm	1690-1831
Weight	kg	1900
Rear tyre		360/70R20
Width (min-max)	mm	1364-1748 1364-1794

TECHNICAL DATA

ENGINE		
Cylinders / kW / hp		VM 3 Cyl - 41kW / 56HP / 4 Cyl 55kW 75 HP
Model		Tier IIIB Turbo
Intake		Direct injection
TRANSMISSION		
Type		Dual Power 16+8, 8+8 transmission with lateral levers
Shuttle		Mechanical Reverse Shuttle
Differential lock		4WD and Mechanical DIFF-lock
LIFT AND HYDRAULIC SYSTEM		
Lifting capacity	kg	2300
Pump	l/min	38 open centre
Rear mechanical distributors		3
DRIVER AREA		
Version		Full platform/cab suspended on silent-block mounts
DIMENSIONS AND WEIGHTS		
Wheelbase	mm	1690-1854
Weight	kg	1900 (platform)
Tyres		360/70R20
Width (min-max)	mm	1290-1766 1290-1770





ARBOS

ARBOS GROUP S.p.A. a s.u.
Via Canale, 3 - 41012 Migliarina di Carpi - Modena - Italy • T +39 0522 640111 - F +39 0522 699002
arbos.com